Approved For Release 2001/09/11: CIA-RDP80-00809A000500420118-2

U.S. Officials Only COMPTIMENTAL

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

COUNTRY

USSR

SUBJECT

Comments and Evaluations on Twenty-two Articles on Metal Treating, Welding, Examination, etc. Appearing in USSR Magazine

PLACE ACQUIRED (BY SOURCE)

DATE ACQUIRED (BY SOURCE)

25X1A

DATE (of INFO.)

THE UNITED STATES, BITHIN THE MERNING OF TITLE 10. SECTIONS TO 194, OF THE U.S. CODE, AS AMENDED. 175 TRANSMISSION OR BEVE ATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORICED PERSON

25X1X

THIS IS UNEVALUATED INFORMATION

25X1A



DATE DISTR. / APR 54

NO. OF PAGES 17

NO. OF ENCLS.

· SUPP. TO REPORT NO.

INDEX

No.	Titles	Page
1	Progress in the Nevelopment of Automatic Submerged-Arc Welding in the Last Two to Three Years	2
S .	Standard for Checking the Sensitivity of Radiography and Evaluation of Defects in Metals by Gamma-Radiographs.	3
3	On the Usefulness of Bend Tests for Welds	3
4	Weld-Metal Strength of Gas Welds in Low-Carbon Steel	, 4
5	Impact Strength of Welded Joints of Open Wearth and Bessemer Steel for Construction of Railroad Cars	5
6	Structure and Hardness of Hardened Case of Steel, Flame Hardened with an Oxygen-Petroleum Flame	5
7	Welding Chrowium Steels	6
8	ligh-Productivity Methods of Welding Developed by TaniiTMASh MTM	7
9	Automatic Arc Welding under a Double Flux	7
1.0	On the Weldability of Rimmed Steel	9
11	Flectric Welding of I-Beams	9
75	Electrospark Strengthening of Cutting Tools	10
1.3	On the Theory and Fractice of Induction Heating Metals for Forging and Pressing	11
14	Forming Hollow Parts with Metallic Formblocks and Rubber U.S. Officials Only	11

CONFIDENTIAL

CT & AREA CODESAFOIN-ATIAW-3 ATIC EV OSI/C EV DISTRIBUTION - STATE

This report is for the use within the USA of the Intelligence components of the Departments or Agencies indicated above. It is not to be transmitted overseas without the concurrence of the originating office through the Assistant Director of the Office of Collection and Dissemination.

US OFFICIALS ONLY CONFIDENTIAL

No.	<u>Titles</u>	Page
15	Salvage of Defective Gray-Iron Castings by Welding	11.
	Molten Inoculation	12
17	High-Speed Reaming of Steel	12
	The Origin of Stringers of Graphite Inclusions in Malleable Iron	13
19	Production of High-Quality Cupola Iron	13
20	Annealing Malleable Iron in Liquid Media	7,4
.er	Use of Arc Welding in Construction	15
•	Electrodes with Cuslity Coatings and Their Production	76

Ye O Paton: Frogress in the Development of Automatic Sulverged-Arc Welding in the Inst Two to Three Years. Avtogenboye Delo (1950) no. 11, pp3/8

- a. A summary covering briefly the marked increase in commercial use of this welding method, and research and development projects carried out since 1947. Of metallurgical interest:
 - 1. Since this type of welding makes it possible to weld structures such as bridges and ships, which were formerly not welded, it has been resliced that all low-carbon steel is not saviefactory for this purpose. In particular, it has been determined that rimmed steel has inadequate ductility and that it is necessary to use killed steel. A suitable specification has been worked out with the result that siready in 1950, 2,500 (metric) tons of bridge construction have been velded.
 - 2. During this period special fluxes have been developed for alloy and mediumcarbon attale. Particular attention has been paid to the problem of intergranular correlated all austenitic steel (both solid and clad); the best results have been obtained with the addition of columbium to the weld deposit.
 - 3. Some trouble has been encountered with excessive reduction of phosphorus from the ferromangenese in the flux, so the weld deposit has higher phosphorus contents then permitted by the specifications.
- b. The problem of inadequate toughness and ductility of structural carbon steel is reminiscent of trouble with welded ships in the US during the war. The types of tests used and the general approach appear to be similar to those used here. It is not clear, however, whether there were significant failures in the USCR that led to this concern with toughness, or whether the possible danger was pointed out merely on the basis of theory and laboratory work.

Rather interesting speculations might be based on the final conclusion that killed steel must be used in view of the emphasis placed on welding for this type of application. It is well known that the yield of finished product is less for killed than for rimmed steel. Also, steel plants must have special equipment for hot topping to produce killed steel. These facts were brought out in the UF during the discussion of the possibility of specifying killed steel only for ships; it was then stated that there was not sufficient hot-topping capacity to produce all ship plate from killed steel. There is no indication that this factor was taken into consideration in the USSR. It is, however, mentioned that the ministry for the metallurgical industry at first scoffed at the idea that special steel should be used and insisted it was up to the welding industry to devise methods that would be satisfactory for any steel. Naturally, there is one significant difference in that service temperatures might be appreciably lower in parts of the USSR in winter than those that would be normally encountered with ships. The laboratory work, however, appears to have been based on a temperature of -40 F, which is similar to that used in some of the laboratory work in the US.

US OFFICIALS ONLY CONFIDENTIAL

Approved For Release 2001/09/11 : CIA-RDP80-00809A500500420118-2

1900 3

US OFFICIALS ONLY CONFIDENCIAL

- c. Mention is made of the need for further cooperation in connection with the development of weldable high-strength low-alloy steels, which are said to be used to an increasing extent. One of the aerious deficiencies of these steels is stated to be their low toughness and high notch sensitivity. This type of steel is also widely used in the US, but the factor of good veldability has generally been one of the prerequisites in selection of suitable compositions.
- d. Austenitic chromium-nickel steel is said to be used widely in industry, both solid and clad. This would also be true in the US. Tikewise, it has generally been held here that weld deposits of these steels sust contain a certain amount of columnum if the steel is to be used under conditions that might cause intergrapular corresion. The exception, not mentioned in the propert paper, would be the "FIC" grades with a guaranteed maximum carbon of 0.03%. The unably these extra-low-ty-bon types were not being made in the USSP in 1950, although they were then available in the US.
- e. The paper has not been accurately proof-read. There is, for extra , a typographical exter of -3000 for -300.
- \(2. P S Koltunov: Standard for Checking the Sensitivity of Radiography and Fvaluation of
 Defects in Metals by Genera-Radiographs. Avtogenove Delo (1953) \(\alpha \): \(\text{0}, \text{ pp } 23/24 \)
 - a. A routine, practical paper.
 - b. Of interest is the fact that the only source of gamma rays given in the paper is radium capcules. Radon is not mentioned, nor are the various radioactive isotopes, such as cobsit 60. The latter have become reasonably readily available in the US as the result of our atomic-energy program and are now being used to a significant extent here for inspection of metals.
- 73. A M Makeru and 3 Kasatkin: On the Usefulness of Rend Tooks for Wells. Aviogenmoye Pelo (19 3) no. 5, pp 6/13
 - a. During 1946/1949 failure of automatic velds to meet standard free-tood tests on butt joints led to rejections at various machinery plants. The Institute of Electric Weilding therefore made an extensive study of this test. (Apparently work was done only on carbon steels.) It was concluded:
 - (1) Free-bend tests on butt joints do not "characterize the toughness of the weld" as stated in the specification. This test is not only uninformative but may cause rejection of satisfactory weeds.
 - (2) Notabed and unnotabed longitudinal-bead-weld bend tests are proposed. They are said to be just as easy to make and just as sensitive to small macrodefects as the free-bend tests on butt joints, but far more satisfactory as an indication of the quality of welds.
 - (3) Until the new type tests are accepted, the results of free-bend tests on butt joints should be evaluated only in conjunction with the results of other tests and a careful study of the bend-test fractures. No rejections should be made if the elongation in the free-bend test is over 40%.
 - X t. The results are in general agreement with US work.
 - (1) Unnotched butt-weld bend tests have been included in US satandards since 1920. The general consensus has been that these tests are relatively sensitive to changes in soundness, joint design and restraint, and welding speedure, but relatively insensitive to composition, mode of deoxidation, thermal and mechanical history of the base metal. As stated by Steut and Daty "...(such tests) are insufficiently sensitive to changes in the factors that affect weldsbillity, especially for the low-carbon structural steels."

 R D Stout and W D'O Doty: Weldsbillity of Steels. Welding Research

Council (1953) 381 pp

ic opporate only

US OFFICIALS ONLY CONFIDENTIAL

Approved For Release 2001/09/11 : CIA-RDP80-00809A000500420118-2

Puge 4

CONFIDENTIAL US OFFICIALS ONLY

(2) Unnotehed beed-weld bend tests fall in the same general category as unnotehed butt-weld hand tests, but a number of notch-bend tests have been found to be more sensitive to factors affecting weldsbility. Some of the latter are similar to that proposed by Makara and Kasatkin.

W. K. K. Khrenov and M. M. Bort: Veld-Metal Strength of Gas Welds in 1 xx-Carbon Steel. Avtogenmoye Delo (1953) no. 6, pp 1/5

- a. This ponen is mainly a criticism, with suggestions for changes, of certain parts of the atcodard qualification rules for welders. Most of the raper leads with carton steel but the following points may be noteworthy:
 - One welding has not progressed for the past 40 years. Under present conditions the same properties can not be obtained from gas welds as from high-quality and on submerged-are welds.
 - (2) A systematic study of possible improvements in god voids should be made.
 - (a) One method would be the use of alloy-steel rods. Manganese would be the principal element considered as an alloying element, but small amounts of other elements such as chromium and nickel might also be included.

sometimes, however, an increase in the carbon content and the presence of alloying elements increase the corosity of the veld metal as veil habits ettength. For example, aperial rods of the same composition as 30 kbMs and 30 kbMs are available but the tendency is to use unalloyed low-tambon rods for gas welding these grades. To obtain the same composition and strength in the weld metal as in the parent metal, the contents of carbon and alloying elements in the rod must be 50/704 higher than in the parent metal; this may complicate the welding process.

- (b) The other method would be the use of fluxes, which are believed to be desirable and necessary for gas veiding of low-carbon steel, although they are not being used in the UNGS. It should be possible to develop fluxes that would not only serve the usual purpose of removing oxide from the surface, but would also aid in refining and decaddizing the moltan metal in addition to adding alloying elements to the veid metal. It would be advantageous if the flux served to decrease the sulfur content of the veid metal. Preliminary work on the use of fluxes for gas-veiding low-carbon steel has been promising.
- b. It is well known that certain changes in the composition of the mod take place during welding. The statement that the carbon and alloy contents must be 60/70% higher in the rod is suestionable. The third edition of the Welding Handbook gives the following recovery values for the elements in 30 KhMA and 30 KhGSA:

per cent recovery when melted under neutral flame and when appreciable amounts of deoxidizers are present

 centon (up to 0.20%)
 100

 nangenese
 65

 sllicen
 50

 chromium
 80/85

 molybdenum
 100

x c. In the US , as has apparently been the case in the USSR, fluxes are not generally used in gas valding low-carbon steel. On the other hand, the use of alloy-steel rods for gas valding is fairly common in the USA. A 1950 pamphlet of Air Reduction X Co. on Gas Welding Supplies lists five low-alloy steel rods, and one unalloyed mild-steel rod. Vanadium and molybdenum are used for alloying purposes as well as the alloys mentioned by Khrenov and Bort.

ì

CONFIDENTIAL US OFFICIALS ONLY

- d. Despite the availability of low-alloy steel rods, however, uralloyed low-carbon rods have often been used for low-alloy steel sheet. For example, in gas welding normalized or samealed AISI-SAE 4130 sheet and tubing, better results have frequently been obtained with such rods than with rods similar in composition to the perent metal. This is in agreement with Soviet practice (as described by Khrenov and Bort) on 30 KhMA (which is similar in composition to AISI-SAY \$130) and 30 KhMSA. More recently the emphasis in the US has been on the use of higher strengths, which involve heat treatment before or after veiding; in these cases, alloy-steel rods have generally been found necessary, elthough the composition does not always match that of the parent metal. Presumably this would also be true in the USSE if and when higher strength steels were used.
- e. The listing of the chromium-molybdenum 30 NhMA as well as the chromium-mangements solition 70 KhGGA would indicate that some molyblenum is being used in tadicates a special quality steels.)
- X 5. S V Vershinskiy: Impact Strength of Welded Joints of Spen Tearth and Resserer Steel for Construction of Builtond Cars. Avtogrammye lelo (1953) no. 6, op 5/10
 - a. The suggestion was made that Bessener steel could be used for shapes in construction of railroad cars. Since these cars operate for a considerable portion of the year at low temperatures, and since impact is involved, comparative impact tests at low temperatures (5"to-bl"F) seemed of most significance. Tests were made on large sections (some full-size beams; others short sections of I-beams) as it was known that tests on small specimens would not be conclusive. The results showed that Bessener steel could not be recommended for load-carrying elements of railroad cars X because of its brittleness at low temperatures, and notch rensitivity.
 - b. The general test of procedure appears fully satisfactory, particularly the use of large sections and low temperatures. No specific analysis is given of the meterial tested, nor is any indication given of the method of decaddring the Besserer steel. The latter would be most significant in the present case.

The results are in accordance with general experience on ordinary Sessemer steel, althous fully decridized Bessemer steel has been stated by Parker to be equal to basic-open-hearth steel in resistance to shock and vibration even at low temperatures. Nevertheless, the production of Bessemer steel in the Us is under 5% of the total ingot tonnage, and much of this is used for bar parts where machinability is the decisive factor.

C M Forker The Metallurgy of quality Steels. New York (1946) p 16

In Europe a much larger percentage of the total steel production is made by the converter process. Thomas or basic-Bessemer, steel comprises about 40% of the Cernan production, about 50% of the French production, and 85% of the Belgian production. Special melting practices have been and are being developed to make low-mitrogen low-phosphorus steels that are supposed to have properties comparable with those of basic-open-hearth steel.

- d. Perhaps the insentive to test the Bessemer steel came from the fact that less capital is required for Bessemer plants. The yield of useable product, however, is generally less for Bessemer plants than for basic-open-hearth melting.
- X6. A M Glikshtern: Structure and Hardness of Hardened Case of Steel, Flame Hardened with an Oxygen-Petroleum Flame. Avtogennoye Delo (1953) no. 6, pp 10/12
 - a. An exygen-petroleum flame is highly satisfactory for surface hardening unalloyed medium-carbon steal to case depths as high as 0.3 in. This maximum case depth is about two and a half to three times as great as can be obtained with an oxyacetylene flame without everheating the surface of the steel.

Dage 6

CONFIDENTIAL US OFFICIALS ONLY

- b. It is not clear just what specific product is meant by 'petroleum'.
- c. Deeper flame-hardened cases may be obtained with expacetylene than Glikshtern findicates. For example, Inskeep shows as typical the hardness gradient of a 0.25-in, deep case obtained on a medium-carbon steel similar to that used by Glikshtern. Howat has indicated that where extra depths are required for instance, over about 0.2 in. the distance between the work being heated and the beating tip is increased to allow time for deeper penetration of the heat without overheating the surface metal.

J 7 House: Versatility of Oxyscetyless flace-bardening, Steel 125 (1949) no. 6, up 64/67, 94

H V Inskeep: Flame-Hardening - A Flexible Method of Surface Treatment, Machinery 58 (1950) no. 1, no 100/11

- \(\text{d. Oxymetrylene is by far the most popular fuel for figure invitage in the \$\text{U}\$, but other fuels have proved tat's factory in some cases provided the escippion is a suitably modified.
 \(\text{Constitution} \)
 - e. This paper is necomposed by a rather charp statement by the cittors, who point out that the tests were quite limited and did not take into consideration certain basic factors, such as distance between the work being heated and the heating tip. This criticism is, of course, quite justified but it does not explain why the paper was published in the first place.
- X7. L Ye Yedotow: Welding Chromium Steels. Awtogenroye Delo (1995) no. 6, pp 20/21
 - a. A review, based on Soviet literature, of welding procedures for wireight obromium steels with 190% Cr. Most attention is given to are worlding.
 - b. The recommendations in this brief review are highly conventions. Of interest in respect to materials:
 - (1) The 1/6% or steels are made with and without an addition of molybdenum to decrease temper brittleness and improve creep propertie. Although the standard AlSI compositions (type: 501 and 502) do not specify molybdenum, little if any of this type of ms. That is being made in the US without molybdenum. No mention is made of other modifications with efficon, aluminum, columbium,or titalium, which have found limited use in the US, but the analysis of one circumde shows a high silianon contert (1.7%).
 - (2) No mention is made of alloys in the intermediate range of b/1.4 Cr. In the US there is a fairly sireable production of chronium-molybdenous steels with 7 and 9% Cr. These steels are used mainly in the petroleum industry where better corrector or oxidation resistance is desired than would be obtained with lover chronium contents.
 - (3) In the discussion of the grades with 12/10% Or, m) mention is made of the low chardenobility types, such as type 405. In the US this type is conclines used for applications such as vessel liners where considerable usiding is involved.
 - (4) Under the 16/18% Or heading, no mention is made of the u.e of titanium. In the US there has been a limited production of type 430 (1% Or) -1th titanium, which is claimed to improve the properties after welding.
 - (5) The review of the 20/30% Or steels mentions various elements that may be used to improve grain structure and properties but states that surrent practice in the X USSR is based on the simultaneous addition of titanium and aluminum. In the US the most common addition for this purpose is nitrogen. Although the action of nitrogen in these steels differs from that of titanium and aluminum, the net result would probably be comparable.

CONFIDENTIAL. US OFFICIALS ONLY


- 8. K A Udotov: High-Productivity Methods of Welding Developed by TSNITTMACH MTM. Avtogennoye Delo (1950) no. 11, pp 8/14
 - a. A summary of research and development projects at TaniitMash MTM. Much of the material was also included in Paton's review and has been discussed there. Additional items of metallurgical interest:
 - (1) Special fluxes have had to be developed for submerged-arc wilding of stainless steel. To obtain weld deposits resistant to intregranular corrosion, the electrode must contain either about 2% Cb or 2% Ti.
 - (2) A number of new electrodes has been developed.

 Ye O Paton: Progress in the Development of Automatic Submerged-Are Welding in the Last Two to Three Years. Aviogeomys Felo (1950) no. 11, pp 3/8
 - Xb. Item Al appears to be in conflict with Faton's report, which was and an independent work at the Institute of Electric Welding as well as at the TONICODUSH MING.
 - (1) Faton's report is more in line with practice elsewhere, where it has generally been considered necessary to use columbian-alloyed electrodes for velding austemitic stainless steels when weld deposits resistant to intergranular corresion are required. This has been the case even where titanium has been used to stabilize the parent metal. There have been a few indications that titanium o will be used in the electrode under certain conditions, but as far as is known such clastrodes have not been used compercially in the US.
 - (2) Again no contion is made of the "extra-lov-corbon" grader, which would avoid or minimize the use of columbium or titenium.
 - (3) Incorporation of either 2% Cb or 2% Ti in the electrode sould almost certainly introduce 2 ff whitee in fabrication of the rod.
 - Xc. In most cases insufficient information is given on the new electrodes to permit comment.
 - (1) Tal-6, nowever, is similar to the "0.5% Mo" electrode widely used in the US , mainly for the cume purpose of improving strength at temp. "stures up to about 950°F.
 - (2) Tal-14 is said to be similar to T 1-6, but with 0.35/0.55% Or to binder graphititation. As mentioned in the review of Cding, the Soviets appear to have encounts of graphitization similar to that observed in the US. The addition of about 0.5% Or would give a material initiar to grade A of ASTM A 301-52eT. This mate-ial was originally introduced as a graphitization-resistant substitute for the 0.5% Mo grade. More recently, however, preference seems to have been given to grade B of ASTM A 301-52eT with about 1% Or and 0.5% Mo as a steel with more resistance to graphitization.
 - (3) Tal-12 and Tel-13 have been developed for volding EI high, which is said to be used for boilers at temperatures up to about 1065°F. The Tal-12 uses a low-narbon rod and adds the alloys through the coating, while the Tal-13 uses a rod of composition similar to EI high. This grade was discussed previously under Oding, item 07.

I A Oding: Basis of the Strength of Motals in Steam Boilers.
Turbines and Turbine Generators. Moteow 1949, 500 pp

- 9. K K Khrenov and D M Mushnerey: Automatic Arc Welding under a Double Flux.
 Avtogembeys Lelo (1950) no. 5, Pp 3/0
 - Description of a new method of unblarged-are welding, predicated on the idea that
 the main function of the welding composition (final) to to exert pressure on the
 extremental turing welding.

CONFIDENTIAL US OFFICIALS ONLY



- (2) If two different fluxes are used, one active and one passive, it is possible to use as active fluxes, materials that would not be satisfactory for the sonventional type of submerged-arc welding. For example, it is much easier to incorporate ferroalloys, so alloying elements can be introduced from the flux rather than from the electrode. As a matter of fact, compositions similar to normal electrode coatings may be used for the active flux. This flux is not fused prior to use but is prepared by mixing the solid ingredients with a fluid, such as water glass, and briquetting.
 - (3) Various materials could be used as the passive flux, but the most suitable proved to be fused active flux, which had been properly pulverised after removal from completed welds.
- b. Except for movelty, the virtues of the proposed method are not the fo
 - (1) Means for preparing and handling two fluxes must be provided.
 - (2) The welder must decide how much active flux is needed.

3.

- (3) The welds look no better than those that can be made with the convertional submerged-are process.
- (4) Furthermore, it is possible to include alloying elements in the flux with the present submerged-arc process. This is being done in various cases in the V US.
- c. In a footnote, the editors cast well-justified doubt on the proposed theory as to the major function of the flux.
- d. Many of the tests were made on SKhl-1, which is similar to Cor-Ten, one of the % high strength low-alloy grades widely used in the US .

•	4 0	≰ Mn	≰ ₽	% S	% S1	KCu	4Cr	SN1
SKhL-	0.16	0.60	0,020	0.020	0.54	0.34	0.74	0.53
Cor-Ten range typical		0.20/0.50 0.38	0.07/0.15	0.05 max 0.033	0.25/0.75 0.48	0.25/0.55 0.41	0.30/1.25	0.65 max 0.28

The main difference is the lower phosphorus content in SKhL-1; it is possible that this is a deliberate attempt to improve low-temperature impact for parts operating at very low winter temperatures.

According to the 1952 United States Steel catalogue on this grade, it is readily welded by the submerged-arc method. No special restrictions are involved, and the electrode material used for the welding of structural carbon steel is recommended. The alloying elements necessary for strengthoning the weld will be obtained by dilution with the parent metal.

The mechanical properties given for SKht-1 are similar to those published for Cor-Ten.

Since World War II there has been considerable emphasis in the USSR on the advantages of high-strength . w-alloy steels, but this is one of the first papers reviewed that gives an actual composition. At times it has been hinted that one of the Soviet projects was to develop grades of this type that could be produced from naturally alloyed iron ore. It is not known whether SKhL-1 is considered to be one of these grades.

CONFIDENTIAL. US OFFICIALS ONLY

- X10. P N Berezkin: On the Weldahility of Rimmed Steel. Avtogenmoye Delo (1950) no. 5, pp 21/22
 - a. In recent years there has been an increasing use of rimmed steel, particularly for parts requiring deep drawing, but difficulties have been encountered with weldability. Cracking and other defects found on welding tractor exhaust muffles of rimmed steel are attributed to nonuniformity of composition and excessive nonmetallic inclusions. It is concluded that rimmed-steel sheet should not be used for velded parts that must be gas- or water-tight, or that will be subject to impact or alternating stresses in service.
 - Y b. Rimmed and semi-killed steels are widely used in the UC and are generally considered to weld easily without cracking in the weld or adjecent tones. A considerable tennage of pipe, for example, is welded from such steels. ASTM A 53-52T covering Welded and Seamless Steel Pipe makes no rectrictions in this respect for open-hearth "teal but does state that steel for grade B bessemer pipe shall be willed. The main welding procedure, where difficulty has been experienced with rime steel, is submerged-are welding where killed steel is sometimes preferred. In this case the trouble has been attributed to sulfur inclusions between the skin and core of the rimmed steel.
 - c. From the brief description, it might be surmised that the trouble encountered in the USSR is at least partly the result of higher sulfur contents and greater amounts y of inclusions than would normally be expected in the is . This may indicate that some of this Soviet steel is being produced by a converter process rather than in the open hearth. Bererkin does not specifically cover submerged-arc welding; in fact, his second example refers to gas welding. There is no mention of any attempt to overcome the poor weldability by changes in prior condition of the steel, type of X electrode, or welding procedure.
 - 11. V G Vegner and O G Vegner: Electric Welding of I-Beams. Avtogenmoye Delo (1950) no. 5, DD 55\5#
 - a. One of the leading questions in the use of welded structures is the dynamic strength of welded parts. The susceptibility to crecking of welded joints during the welding process is the main difficulty. Ye O Paton's conclusion as to the necessity of using killed steel with present welding procedures is logical and is beginning to be followed, but many factories still have to weld rimmed steel. The present paper is intended as a guide in the welding of rimmed steel.
 - (1) It is impossible to eliminate all .racks in welded structures of rismed steel. A major factor is the great variation in segregation, sometimes even within a single sheet.
 - (2) At present rimmed steel should be welded only under constant supervision, and preferably in the shop and not in the field.
 - (3) A series of tests is proposed for rimmed steel to be used for welding.
 - (4) The output of standard killed steel must be increased, since only with its use can more extensive use of electric welding for critical parts of structures be possible.

11

- Xb. Three papers from about this period (the present paper, Berezkin, and Paton) all point to difficulty in welding rissed steel. There is some question, hovever, as to whether the basic trouble is in the actual welding process (as would be indicated by Berezkin and the present authors), or whether it is in the inadequate toughness and ductility of the completed weldments (as indicated by Paton). As mentioned in the X discussions of the other two papers, the former problem is not serious in the US, but the latter has received much attention.
 - P N Berezkin: On the Weldability of Rimmed Steel. Avtogennoye Delc (1950) no. 5, pp 21/22
 - Ye 3 Paton: Programs in the Development of Automatic Submerged-Arc Welding in the Last Two to Three Years. Avtogennoye Dolo (1950) no. 11, pp 3/8 CONFIDENTIAL

US OFFICIALS ONLY

CONFIDENTIAL US OFFICIALS ONLY

- c. Certainly the tests advocated for rimmed steel to be welded would be extremely costly. For example, the idea of making a sulfur print on each sheet, which is just one of the proposed tests, would be time consuming as well as expensive.
- d. As discussed under Paton, the proposal to use only killed steels for such welded parts leads to conjectures about the resultant decreased output of steel. Also, unless a good deep-drawing quality of killed steel has been developed (and it took some time to do this in the US), it is possible that difficulties in fabricating some of the deep-drawn and formed parts prior to welding might occur if only killed steel were used.
- Y 12. V P Smirnov: Electrospark Strengthening of Cutting Tools. Avtomobil'naya i Traktornaya Promyshlennost' (1950) no. 12, pp 17/20

For continued effectiveness, surface treatments applied to cutting tools during fabrication must be renewed after each sharpening. It is both eachly and time-consuming to renew chromium plating or cyaniding. A new method has been developed by VR and WI Lazarenko to answer the need for a simple means of treating tools after grinding. When an electric spark is drawn between a carbon-graphite or hard-metal (sintered-carbide) electrode and a tool, some particles of the electrode are deposited on the tool, which is also slightly pitted by the arc. The life of the tool is increased if the parts subject to wear are so treated.

- 1. Apparently the process can be used only on high-speed-steel tools.
- 2. Most of the work seems to have been done with the carbon-graphite electrode.
- 3. Increases in life for various types of tools vary from "up to 20%" to "up to 60%".
- 4. In the case of chromium-plated or cyanided tools, the electrospark strengthening is applied only where the previous coating has been ground off.


۱ì

- 5. The Stalin automobile plant at Corki has saved 718,000 rubles a year by the use of this treatment.
- b. It is not known whether a similar process has been used here as there are various proprietary surfacing methods, details of which have not been disclosed. It is quite possible, however, that the carbon particles deposited on the slightly pitted surface would prove to be a better lubricating medium than externally applied lubrication and thus would increase life.
- c. There is some reason to be skeptical of the economic value of the process.
 - 1. Variations of 20% in life occur with closely controlled laboratory cutting tests; even greater variations are encountered in plants. Therefore, increases in life of "up to 20%" are not very convincing.
 - 2. It is doubtful whether the necessary equipment would be much cheaper than either chromium plating or cyaniding. Moreover, fewer man-hours would be needed for either of these methods than for the new method, where the electrode must be guided by hand along the surface to be treated until the slender electrode has contacted all parts. Unless the work is carefully done, there is the added hazard that part of the surface may remain untreated. This suspicion is borne out by the list of causes for inadequate results.
- d. From the discussion it would sound as if practically all high-speed-steel tools × were chromium plated or cyanided. Although both methods are used in the UE, probably the majority of high-speed-steel tools is not so treated. As a rule, no attempt is made to renew the coating after sharpening.

CONFIDENTIAL US OFFICIALS ONLY

wed For Polesse 2001/09/11 : CIA-RDP80-00809A000500420118-2

CONFIDENTIAL US OFFICIALS ONLY



- *13. D I Romanov: On the Theory and Practice of Induction Heating Metals for Forging and Pressing. Avtomobil'maya i traktornaya Promyshlennost' (1);0) no. 14, pp 30,30
 - a. A critical review of (Soviet) literature with special reference to incorrect cost comparisons of induction and furnace heating. Pomanov concludes that the question of suitable heating methods needs further consideration and that more attention should be paid to the quality of publications.
 - c b. There has also been some use in the US of induction heating for forging or other but-vorking operations, but a completely securate comparison of the cost of such mosting methods as compared to furnace heating is not simple. Some of the factors that have been given much weight in the US in cases where index. Theating has been selected a for example, less space required; lover loss of metal due to scaling; less die wear because of better surface of heated metal apparently play a minor role in the USSR where major emphasis is placed on production rate, capital expenditure and operating cost.
- (14. I M Vasin and A N Malikov: Forming Hollow Parts with Netallic Formblet), and Rubber. Avtombil neya i traktorneya Promyshlennost' (1950) no. 12, pp 25/27
 - a. For more than 12 years, duraluminum parts have been formed in hydraulic presses with soft or nonmetallic formblocks and rubber platens. The process has now been modified by the introduction of a table that fits incide the container at the end of the stroke. This serves to avoid wrinkling and to keep the rubber confined in its container. The combination of this modification and more powerful presses makes it possible to form harder and thicker sheet for example, stainless-steel exhaust manifolds, aluminum-alloy sheet up to about 0.65-in. thick, and low-carbon steel sheet up to 0.01 in. For high-production runs or heavier parts, the formblocks may be made of an aluminum-silicon alloy, or even steel.
 - b. The original process was obviously similar to the Guerin process, developed in the XUS before the war. The "modification" discussed in the present paper is "parently < not very different from some of those used in the US.
 - y c. Many of the edvantages listed by Vacun and Malikov apply in the US as well. Here, however, the Guerin process is used winly for aircraft production. It is quite doubtful that it would be chosen for production runs of automotive parts, such as the automobile headlights mentioned. It is generally considered in the US that a satisfactory surface may be retained in automobile headlights forward by more economic and faster methods.
- x15. P T Gorodnov: Salvage of Defeative Gray-Iron Castings by Welding. Liternove Proizvodstvo (1952) no. 0, pp 2/3
 - a. Since the usual methods of repairing defective automobils and tractor castings by gas velding require an over-all preheat, tests were made to determine the feasibility of eliminating preheating by are welding. Steel electrodes were satisfactory but the finished weld was not machinable. Monel metal and bronze (% Sn) electrodes gave machinable deposits. The castings still would not meet hydraulic requirements after are welding because of microcracks and pores in the transition zone and weld metal. Subsequent metallizing (aluminum, zinc or steel depending on application) remedied this failing so the castings could be made pressure tight.

CONFIDENTIAL US OFFICIALS ONLY

The state of the s

CONFIDENTIAL US OFFICIALS ONLY

v. In the US and Great Britain, it is generally considered that there is no substitute for oxyscatylene torch welding with cast-iron rods and careful preheat with slow cooling where critical requirements are involved. Arc welding is seldow if ever recommended where pressure tightness is required. The "usual" method mentioned by K Gorodnov seems to be much more in line with US and British practice than Gorodnov's method. Certainly it is difficult to see that Gorodnov's recommendation of arc welding and metallizing - even if perfectly satisfactory - sould be any cheaper or simpler than preheating and gas welding.

G E Bellew: Salvage of Castings by Welding of Defects.

TAFS 58 (1950) pp 669/074
Sub-Committee T.S. 23: Repair and Reclamation of Grey-iron Castings
by Welding and Allied Methods. Foundry Trade Journal 69 (1950)
pp 207/214, 216

Xc. In the US nickel electrodes are perhaps more commonly used than Monel electrodes for cast iron. Also, a copper-zinc brass electrode is probably not widely used than the tin bronze mentioned by Gorodnov. The fact that either Monel metal or bronze would be considered for such a relatively unimportant application where they were not absolutely necessary would tend to indicate no sbortage of copper, nickel or tin.


X16. M M Turbovskiy: Molten Incculation. Liteynoye Proizvodstvo (1952) no. 6, pp 16/18

- a. Numerous examples are given of the improved properties obtained with cast iron inoculated with an addition of molten, high-silicon gray iron. The advantages claimed for this type of inoculation over the more conventional means (se with solid ferrosilicon) are:
 - (1) temperature of iron being inoculated can be lover;
 - (2) amount of inoculant does not need to be as closely controlled;
 - (3) greater reliability and uniformity of results.
- b. The improvement in properties shown by Turbovskiy would be expected with any properly inoculated gray iron. The supposed advantages of molten inoculation over conventional inoculation are not adequately documented nor are they very convincing. On the disadvantageous side is the fact that Turbovskiy's method would require at least two melting furnaces since one would be needed to supply the molten inoculant. Only in certain special cases is 1% possible that his process might have certain only in certain special cases is 1% possible that his process might have certain advantages; for example, if a for iry regularly producing malleable iron and a soft uninoculated gray iron vanted to make a limited amount of relatively high-attength gray iron but had no experience with conventional inoculation. Under such circumstances, Turbovskiy's method might be more foolproof than the usual inoculation.

X 17. B A Keminskaya: High-Speed Reaming of Steel. Avtomobil'neya i traktornaya Promyshiennost' (1950) no. 12, pp 20/23

- a. High-speed machining in the USSR has been limited mainly to milling cutters and similar tools with relatively little attention paid to tools such as drills and reamers. The limited work that has been done on the latter types of tools has been largely confined to cast iron. The present paper deals with the development of reamers tipped with sintered carbide that are suitable for machining steel. Further development in connection with the commercial production of these drills will continue.
- X b. In the US also, less attention has been paid to high-speed drilling and reaming than to other forms of machining; although solid twist drills of sintered carbide as well as tipped reamers and drills are being used on various types of metals including steel.

CONFIDENTIAL US OFFICIALS ONLY



- (1) Without titanium this grade would give a high carbon concentration in the case unless special precoutions were taken during curburizing (mild carburizing media; diffusion treatment). Such excess corbides may be advantageous in some applications involving year, but are generally considered undestrable in the XUS because of the poor toughness and grindability of high-carbon cases.
- (T) The general subject of the Soviet use of titanium in carburning steels has been previously discussed. There is no indication that titanium would minimize a carbon build-up in the case.
 - M P Braun and P E Voronov: High Strength low Alloy Corburating Steels.
 Stel 6 (1946) pp 181/188
- (3) With the emphasis on high-speed machining, it is rather surprising that no attention was given to the optimum microstructure of the steel being machined, or to the possibilities of using a free-machining type of alloy steel.

V. 18. K. P. Bunin, W. H. Danil'chenko and G. I. Ivantsov: The Origi: of Stringers of Graphite Inclusions in Melleable Iron. Literacy From Vivodetvo (19:2) no. 0, pp 21/23

- a. A routine investigation. (Blackheart) realleable iron pretimes shows graphite stringers after annealing, which have a deleterious effect on properties and particularly on toughness. This defect is caused by shrinkage pores, which form between the dendrite arms during the final stages of solidification. Graphite stringers can therefore be avoided by improving casting and feeding practices.
- b. Although it is stated that no information could be found in the literature on this type of defect, it appears to be similar to one discussed by Laplanche and attributed to the same cause. Otherwise the present paper represents an adequate, unimaginative investigation.
 - Y H Laplanche: Les Principales maladies de la malleable a coeur noir et leur diagnostic micrographique. Fonderie (1947) no. 14, pp 507/526; no. 15, pp 504/561

0020000000500770118-9

X 19. S G Zbarskiy: Production of High-Quality Cupola Iron. Liteynoye Proizvodstvo (1952) no. 6, pp 20/29

- a. Another scheme to avoid conventional inoculation. The cupola is charged so it X melts alternate layers of a low-carbon, low-silicon iron, and a high-carbon, high-silicon iron. When these are tapped in proper proportion and sequence, the resultant iron has the improved properties that would be expected from inoculated iron.
- b. Unlike Turbovskiy's proposal in this same issue, Zbarskiy's idea requires only a single furnace, but is more complicated and probably would be less relimble. Certainly Ztarskiy's method would be much more difficult to carry out in practice than a conventional inoculation. The obvious desire of both men to avoid a conventional inoculation is rather strange, since it is a relatively simple operation with, for example, a small ladle addition of ferrosilicon.

25X1A

Page 14

COMPIDENTIAL US OFFICIALS ONLY

- c. The hardnesses reported are about what would be expected with an inoculated iron of the carbon and silicon contents given. Usually such low-silicon from with x about 3% C are not cupola melted in the US; either an electric furnace or a duplex process would be used. With cupola iron, however, it would appear to be much simpler and easier to melt to a slightly higher curbon content, and then make a small alloying addition in the ladle to bring the hardness and strength up to the desired values rather than to bother with such complicated procedures as foreseen by Zberskiv.
- X 20. I I Goryunov: Annesling Malleable Iron in Liquid Media. Liteymoye Proirvodstvo (1952) no. 6, pp 18/21
 - a. An interesting paper. An extremely rapid annealing treatment for (blackheart) molleable iron has been developed in the USER. The main feature of this method is the use of a molten salt bath (barium chloride) for first-stage graphitisation; under these conditions, only 30 minutes are required as opposed to a full usua of several hours when the malleable iron is heated in a furnace.
 - The heating rate is naturally much more rapid in a salt bath than in a conventional atmosphere furnace or in a sand-racked box.
 - X (2) Even with the same holding time after reaching 1830°F, iron heated in a salt bath graphitizes more rapidly than iron heated in an atmosphere furnace or in a box.
 - (3) At the extectic temperature, the decomposition of combined carbon is practically instantaneous.
 - (4) Preliminary quenching also accelerates first-stage graphitication.
 - (5) On the other hand, heating in a salt bath has no effect on the time required for second-stage graphitization.
 - (6) Plant tests showed pearlitic or pearlitic-ferritic malleable from had a finer and more uniform structure if the first-stage graphitization had been carried. In a salt bath. Subsequent service tests on bearings gave satisfactury results for malleable-iron parts treated by the new method.
 - (7) Annealing in sait baths at temperatures near the eutectic temperature gives flake graphite rather than the usual modular temper carbon.
 - X b. As far as is known, salt baths are not used in the US for sunceling malleable from. Furthermore, the temperatures used for first-stage graphitization are considerably known here (about 1550/1725°F). Various steps have been taken in the US, however, to shorten the annealing cycle of malleable from. Continuous furnaces with atmospheric control have been introduced to eliminate the necessity for pots and packing and thus to accelerate the rate of heating and cooling. "Short-cycle malleable" with relativally low carbon and high silicon is used in some cases to give from that will graphitize more readily; small additions of elements such as bismuth and boron may also be added to permit the use of such high silicon contents without having the iron gray as cast. Even with short-cycle malleable, however, about X ten hours at 1725°F are still allowed for first-stage graphitization. This type of malleable iron generally has about 1.4/2.0% Si, whereas the highest silicon content in any of the irons investigated by Goryunov was 1.51%. Therefore the results obtained by Goryunov cannot be attributed to composition alone (the comparative tests with furnace heating indicate that trace elements are probably not involved).

CONFIDENTIAL US OFFICIALS ONLY

ATTER TO STATE OF THE PERSON NAMED OF THE PERS

CONFIDENTIAL US OFFICIALS ONLY

c. The claim that graphitization is practically instantaneous may be viewed with some skepticism, although Massari has confirmed that the time required for first-stage graphitization decreases as the temperature increases. With a "low total carbon malleable iron" somewhat similar to those tested by Goryunov, the time carbon decreased from over 300 minutes at 1700°P to about 6 minutes at 2000°F.

\(\text{8 C Massari: Graphitizing Behavior of White Iron. TAFS 57 (1949) pp 226/232; } \)
 \(\text{disc 231/232} \)

d. Shortening the graphitizing cycle would be advantageous only if it does not have an adverse effect on properties. The presence of flake rather than nodular graphite would undoutedly impair the good machinability that is one of the outstanding advantages of malleable iron. Moreover, the discussion of Massari's paper indicated that high-temperature graphitization had a deleterious effect on mechanical properties. Goryunov does not give comparative data on the echanical properties of his quick-annealed iron and malleable iron given an ordinary anneal. A rough comparison of the information be does a rewith that published elsewhere tends to indicate considerably lower ductility and toughness for the quick-annealed iron than would normally be expected in malleable iron. This of course would be quite natural if the graphite is in flake form rather than nodular. It is possible that a compromise might be struct that would give adequate properties with a shorter-than-normal graphitizing treatment.

American Malleable Iron. Malleable Founders' Society (1944)


H Laplanche: Les principales maladies de la malleable a coeur noir
et leur diagnostic micrographique. Fonderie no. 14 (1947) pp 507/526;
no. 15, np 504/581

- X 21. V I Mel'nik: Use of Arc Welding in Construction. Avtogennoye Telo (1950) no. 11, pp 23/26
 - a. A routine article. Of interest, however, is a list of six "deficiencies" that are hindering the use of are welding in construction and impeding progress:
 - (1) Designers still are not wholly convinced of the virtues of welding.
 - (2) Although many good electrodes are being produced, there is still not a satisfactory all-position electrode for high-production welding (EA2A).
 - (3) Many plants producing electrodes have difficulty in obtaining the necessary coating ingredients.
 - (4) Since many constructors wish to weld in winter, reliable portable equipment for induction preheating is needed. Methods of welding with local preheating should be worked out.
 - (5) Constructors need direct-current machines with 500/600 amp empacity and diesel engines, portable transformers with 750 amp capacity, and semiautomatic submerged-arc welding apparatus.
 - (6) It is necessary to organize the production of welding helmets and electrode holders. Also, welders should be provided with protective clothing of leather or substitute material as canvas is not safe.
 - b. Mel'nik seems to feel that the desires of the construction industry are not given enough consideration by the welding industry in general. Of his complaints, the X main one that might be considered to apply to some extent in the US also is Al.

Approved For Release 2001/09/11 : CIA-RDP80-00809A999500420118-2 -

Page 16

CONFIDENTIAL US OFFICIALS ONLY



- a. More or less of a review of some of the development work being done at the Experimental Welding Plant TsNII MPS.
 - (1) Most of the article is devoted to coatings: factors affecting viscosity; addition of ferromanganese and other deoxidizers; grain size, drying.
 - (2) The last part deals with specific electrodes. Among other things discussed;
 - (a) Fisheyes in weld deposits should not be considered as cause for rejection of the electrodes as they can be overcome by proper aging of the electrodes before use.
 - (b) New hard-surfacing alloys, which are in great demand, are mentioned. Compositions are given of three that have been introduced for applications requiring high hardness:

	hardness	∮ C	#Cr	KB .	STi
T-590 T-620	Re 58/62 Re 55/60	3/3.5 3/3.5	20/23 20/23	about 1.5	1.1/1.5
T-540		1.2/1.5	7.5/9.5	***	1.0/1.3
	Re 56/60###)				

* as annealed

** as deposited

*** as quenched and tempered

- (c) Some commercial stainless-steel electrodes have given deposits with low elongation and strength, and with pronounced susceptibility to hot cracking. No connection could be found between these defects and chemical composition of the wire or coating. Welding conditions were also not a factor. The defective deposits were obtained with all grades except TeL-4, which has molybdenum in the coating. Investigations shoved that high properties and flawless deposits could be obtained if 5% No (or the corresponding 10% ferromolybdenum) were added to the coating of the 18-8 electrode, and 10% No to the coating of the 25-20 electrode.
- b. With ordinary mild-steel e'ectrodes, fisheyes and fiscures are frequently observed in as-welded tensile specimens. These defects, resulting from hydrogen in the weld metal, are removed by stress relieving. (Of course, another method of avoiding such defects is the use of electrodes with low-hydrogen coatings, which are not mentioned.) Sokolov recommends aging for 20/25 days at room temperature, x or 8/10 hr in boiling water, or 2/3 hr at 390/480°F. It is doubtful that either of the first two alternatives would remove much hydrogen, especially if the atmosphere were moist.
 - X US requirements are obviously more severe than those about which Sokolov is complaining, since ASTM A 233-48T for Mild Steel Arc-Welding Electrodes of the type under question includes a requirement for maximum hydrogen content of the weld deposits.
- c. The three hard-surfacing compositions are similar in type to some of those being produced in the US although boron and, especially, titanium are not widely used in electrodes of this type.

999994000500426548-2.1

Page 17

CONFIDENTIAL. US OFFICIALS ONLY

- d. From the brief description of the difficulty with the stainless-steel electrodes it is believed that the trouble probably stems from the structure of the weld X deposit. It has generally been observed in the US and elsewhere that such cracks are always more prevalent in fully austenitic than in partially ferritic deposits. Molybdenum appears to overcome tendencies toward cracking not only by forming ferrite in the weld metal but also by strengthening the austenite. Not enough information is given for calculation of the percentage of ferrite, but 5% No in an 18-8 deposit, or 10% in a 25-20 deposit, would undoubtedly give a relatively large amount of ferrite. In this country satisfactory results are obtained with lesser amounts of molybdenum. (It is also possible to make other modifications in composition to obtain the 3 to 5% ferrite generally considered desirable.) Certainly such large additions do not indicate any shortage of molybdenum.
 - G Riedrich: Neuere Entwicklungen auf dem Gebiete der rost- und
 - säurebeständigen Stäble. Metallwirtschaft 21 (1 2) pp 407/411 X L Zeyen and W Lobmann: Schweissen der Eisenwarkstoffe, 2. edition, Düsseldorf (1948)
 - R D Thomas, Jr: Crack Sensitivity of Chromium-Nickel Stainless Weld Metal. Metal Progress 50 (1946) pp 474/479
- e. It is incorrecting that Sokolov mentions the fact that despite its growth and successes, there are some unsatisfactory phases of the welding-electrode industry in the USSR both in regard to quantity and quality.

AREA CODES